

**BALTIC NEPHROLOGY CONFERENCE 2016, JURMALA**

**EPIDEMIOLOGY OF RENAL REPLACEMENT THERAPY IN ESTONIA: THE INCIDENCE APPEARS TO HAVE PLATEAUED**

Ülle Pechter<sup>1</sup>, Merike Luman<sup>2</sup>, Kadri Lilienthal<sup>2</sup>, Julia Piel<sup>3</sup>, Madis Ilmoja<sup>3</sup>, Mai Rosenberg<sup>1</sup>

<sup>1</sup>Tartu University, Tartu University Hospital,  
<sup>2</sup>North-Tallinn Regional Hospital,  
<sup>3</sup>West-Tallinn Central Hospital

**Data Source:** Special analyses, USRDS

**Acknowledgement:** the authors thank all doctors, nurses and coordinators helping to collect data for the CKD database.

**RRT incidence**

**Annual incidence per million population of new patients starting RRT 2007-2015**

| Year starting RRT | Number of patients per million population |
|-------------------|---|
| 2007              | 85.7                                      |
| 2008              | 65.7                                      |
| 2009              | 54.5                                      |
| 2010              | 74  |
| 2011              | 64  |
| 2012              | 80.9                                      |
| 2013              | 64.5                                      |
| 2014              | 82  |
| 2015              | 51.8                                      |

**Altikas:** Epidemiological Data of Kidney Diseases in Estonia Annual Report 2015

**Trends in the incidence of treated ESRD, per million population, by country, 2000-2013**

**Top countries having the highest % rise in ESRD incidence from 2000/01 to 2012/13, plus the U.S.**

**Five countries having the largest % decline in ESRD incidence rate from 2000/01 to 2012/13**

**Data Source:** Special analyses, USRDS ESRD Database. All rates are unadjusted. Data for Croatia are missing from 2006-2011, indicated by the dashed line. Data for U.S. are shown for comparison purposes. Abbreviations: ESRD, end-stage renal disease.

3

**Geographic variations in the incidence of treated ESRD per million population, by country, 2013**

**Data Source:** Special analyses, USRDS ESRD Database. Data presented only for countries from which relevant information was available. All rates are unadjusted. Data for Indonesia represent the West Java region. Data for France include 22 regions. Data for Spain include 16 of 19 regions. Abbreviations: ESRD, end-stage renal disease.

Vol 2, ESRD, Ch 13

4

**Trends in the prevalence of treated ESRD, per million population, by country, 2000-2013**

**Ten countries having the highest % rise in ESRD prevalence from 2000/01 to 2012/13, plus the U.S.**

**Data source:** Special analyses, USRDS ESRD Database. ESRD prevalence is unadjusted. Israel includes dialysis patients only from 2000-2002. U.S. is shown for comparison purposes. Abbreviations: ESRD, end-stage renal disease.

Vol 2, ESRD, Ch 13

5

**RRT trends in Estonia**

**RRT trends in Estonia 2000-2015 according to modality of treatment**

| Year | TX  | PD | HD  |
|------|-----|----|-----|
| 2000 | 181 | 36 | 145 |
| 2001 | 190 | 47 | 143 |
| 2002 | 214 | 58 | 156 |
| 2003 | 227 | 69 | 158 |
| 2004 | 259 | 74 | 185 |
| 2005 | 298 | 74 | 224 |
| 2006 | 293 | 78 | 215 |
| 2007 | 321 | 86 | 235 |
| 2008 | 348 | 70 | 278 |
| 2009 | 393 | 73 | 320 |
| 2010 | 388 | 76 | 312 |
| 2011 | 405 | 89 | 316 |
| 2012 | 434 | 42 | 392 |
| 2013 | 457 | 41 | 416 |
| 2014 | 456 | 46 | 410 |
| 2015 | 484 | 43 | 441 |

**Altikas:** Epidemiological Data of Kidney Diseases in Estonia Annual Report 2015





